


SWATYCOMET STEEL CONDITIONING WHEELS

For use in the removal
of hard oxide scale

Greater Grinding Efficiency

Get up to **20% more**
for your money

Tested. Proven. Swatycomet wheels are more efficient.



\$ PER TON OF METAL REMOVED

* Results will vary based on application and operating parameters

Advantages:

- ✓ Up to 20% greater grinding efficiency than previous generation
- ✓ Improved surface finish
- ✓ Custom engineered to meet specific application requirements




NEW GENERATION
PRODUCTS

SWATYCOMET

STEEL CONDITIONING WHEELS

Steel conditioning wheels

are used for removal of hard oxide scale formed in the process of casting slabs, ingots and bars in primary metals facilities.



Available sizes D x H x T (mm)

610 x 65 x 203.2 (304.8)

610 x 76 x 203.2 (304.8)

610 x 102 x 203.2 (304.8)

635 x 76 x 304.8

Available sizes D x H x T (mm)

920 x 102 x 305 (400)

920 x 125 x 305 (400)

920 x 150 x 305 (400)

Materials

| Material | Grit size |
|------------------|-----------|
| Stainless steel | 10 - 24 |
| Carbon steel | 6 - 20 |
| High alloy steel | 10 - 24 |
| Titanium alloy | 6 - 20 |

Advanced abrasive materials for your application

- Fused aluminium oxide
- Silicon carbide
- Blocky zirconia aluminium
- Sintered aluminium oxide
- Sintered bauxite

